Welcome to the Aimovig® family.

We're so glad you and your doctor decided to add Aimovig® to your migraine treatment plan. We are your ally throughout your journey with tools and resources to help you start and stay on treatment as prescribed.

We have a guide just for you as you start your treatment on Aimovig®.

From getting your Aimovig® prescription to preparing for your first dose, we have information to help you start your journey.

Learn more at aimovig.com/start

Aimovig® is available at pharmacies nationwide.

Eligible commercially insured patients can download an Aimovig® Copay Card to get Aimovig for as little as $5 per month.*

*Up to program maximums. Terms and conditions apply
Don't have commercial insurance? See other options here

If you already have a card, activate it at the link below or by calling 1-833-246-6844.

Sign up at aimovigcopaycard.com

Everyone's experience with Aimovig® is different. That's why it's helpful to track your migraine.

Our daily text migraine tracker makes tracking quick and easy: just one text a day, and you'll be emailed a visual report every month summarizing your responses.

Get tracking at mydailytracker.com

APPROVED USE

Aimovig® (erenumab-aooe) is a prescription medicine used for the preventive treatment of migraine in adults.

IMPORTANT SAFETY INFORMATION

Who should not use Aimovig®?

Do not use Aimovig® if you are allergic to erenumab-aooe or any ingredients in Aimovig®.

Please see additional Important Safety Information on the next page.

aimovig® | AimAlly™ Support

> " The first few months were showing a decline in my number of migraine days, **but it wasn't until the 3rd or 4th month that I started to see the best effect for me.** "
>
> —Michael T., AIM Network Member
>
> Michael has been on treatment since August 2018. Individual results may vary.

Still have questions?

Call our care center at **1-833-AIMOVIG (833-246-6844)**
8 AM-9 PM ET, Mon-Fri.

APPROVED USE

Aimovig® (erenumab-aooe) is a prescription medicine used for the preventive treatment of migraine in adults.

IMPORTANT SAFETY INFORMATION

Who should not use Aimovig®?

Do not use Aimovig® if you are allergic to erenumab-aooe or any ingredients in Aimovig®.

Before starting Aimovig®, tell your healthcare provider (HCP) about all your medical conditions, including if you are allergic to rubber or latex, pregnant or plan to become pregnant, breastfeeding or plan to breastfeed.

Tell your HCP about all the medicines you take, including any prescription and over-the-counter medicines, vitamins, or herbal supplements.

What are possible side effects of Aimovig®?

Aimovig® may cause serious side effects, including:

- **Allergic reactions.** Allergic reactions, including rash or swelling can happen after receiving Aimovig®. This can happen within hours to days after using Aimovig®. Call your HCP or get emergency medical help right away if you have any of the following symptoms of an allergic reaction: swelling of the face, mouth, tongue or throat, or trouble breathing.

- **Constipation with serious complications.** Severe constipation can happen after receiving Aimovig®. In some cases people have been hospitalized or needed surgery. Contact your HCP if you have severe constipation.

- **High blood pressure.** High blood pressure or worsening of high blood pressure can happen after receiving Aimovig®. Contact your healthcare provider if you have an increase in blood pressure.

The most common side effects of Aimovig® are pain, redness, or swelling at the injection site and constipation.

These are not all of the possible side effects of Aimovig®. Call your HCP for medical advice about side effects.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Click here for the full Prescribing Information and Patient Product Information.

AMGEN®